

## MESSAGE / REPLY

A&amp;P SYSTEM CORP. TACOMA 927-5848

3 PART

TO

Mr. Robert P. Burrell  
Department of Ecology

7272 Cleanwater Lane

Olympia, WA 98504

FROM

## RICHARDSON WATER COMPANIES

P.O. BOX 44408 - 219 SO. 115th.  
TACOMA, WASHINGTON 98444  
537-7332

SUBJECT

Date 2 / 13 / 81

## MESSAGE

As per our conversation of 13 February 1981, the enclosed check will cover the fees for permits for G2-25490, G2-25227, and G2-25485. Permit G2-25527, which is the Pete Klenek system is pending for the moment. Once we determine if progress will continue through this company, the fee will be sent.

Signed

Water Systems Coordinator

## REPLY

OK for Permits  
G2-25490  
G2-25227  
G2-25485  
W/3  
2-17/8

RECEIVED

FEB 17 1981

DEPARTMENT OF ECOLOGY  
SOUTHWEST REGIONAL OFFICE

S

Signed

Date / /

SEND PARTS 1 AND 3 WITH CARBON INTACT - PART 3 WILL BE RETURNED WITH REPLY



WASHINGTON STATE  
DEPARTMENT OF ECOLOGY

RECEIPT

Nº 106539

RECEIVED FROM *Richardson Water Co. - Tacoma* *7-17*, 19*81*  
*Twenty and no/100* DOLLARS *20<sup>00</sup>*

FUND: General ☒ Rec. Rev. ☐ Basic Data ☐ Other ☐ Cash ☐  
SOURCE: Water Code ☒ Publications ☐ Adjudications ☐ Refunds ☐ Check ☒  
Per. and Lic. ☐ Investments ☐ Registration ☐ Other ☐ M. O. ☐

*Permit fee*  
*9w app 2-25490*  
By *Verna [Signature]*  
Thank You





STATE OF  
WASHINGTON

Dixy Lee Ray  
Governor

DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, Olympia, Washington 98504

206/753-2353

March 6, 1981

Richardson Water Company (Southwood Water System)  
PO Box 44408  
Tacoma, WA 98444

Dear Sir:

Re: Ground Water Application No. G 2-25490

Enclosed is Permit No. G 2-25490. Our information indicates you have begun construction of your project. We are enclosing a Notice of Completion of Construction which must be filed when you have finished the work.

If you cannot complete your project by August 1, 1985, you must contact this office. *Vic Shaver*

Please read the enclosed information sheet as well as both sides of your permit.

Sincerely,

*Vic Shaver*

VIC SHAVER

Resource Management  
SOUTHWEST REGIONAL OFFICE

Enclosures

VS

NOTE: PLEASE ADVISE OF ANY ADDRESS CHANGE

ECY 040-1-16  
Rev. 6/78

S





STATE OF  
WASHINGTON

Dixy Lee Ray  
Governor

DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, Olympia, Washington 98504

206/753-2353

November 10, 1980

Richardson Water Comapny  
P.O. Box 44408  
Tacoma, WA 98444

Gentlemen:

Re: Ground Water Application No. 2-25490

On July 8, 1980, this office sent you our Report of Examination approving your application and requesting that you submit the statutory permit fee of \$ 20.00 payable to the Department of Ecology.

If we do not receive the permit fee within 30 days of receipt of this letter, we will assume you are no longer interested in the development of this project and the application will be canceled.

Sincerely,

WALTER BERGSTROM  
Resource Management  
SOUTHWEST REGIONAL OFFICE

WB:vw

NOTE: PLEASE ADVISE  
OF ADDRESS CHANGES.

S





STATE OF  
WASHINGTON

Dixy Lee Ray  
Governor

DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, Olympia, Washington 98504

206/753-2353

February 9, 1981

Richardson Water Company  
P.O. Box 44408  
Tacoma, Wa 98444

Gentlemen:

Re: Ground Water Application No. 2-25490

On July 8, 1980, this office sent you our Report of Examination approving your application and requesting that you submit the statutory permit fee of \$ 20.00 payable to the Department of Ecology.

If we do not receive the permit fee within 30 days of receipt of this letter, we will assume you are no longer interested in the development of this project and the application will be canceled.

Sincerely,

WALTER BERGSTROM  
Resource Management  
SOUTHWEST REGIONAL OFFICE

WB:vw

NOTE: PLEASE ADVISE  
OF ADDRESS CHANGES.

CERTIFIED MAIL

P.S. If you are no longer interested in processing the above numbered ground water application please sign the slip below and return it to this office.

I AM NO LONGER INTERESTED IN PROCESSING  
GROUND WATER PERMIT APPLICATION NO. 225490  
AND HEREBY AGREE TO IT BEING CANCELED.

SS

Signature

Date

S





STATE OF  
WASHINGTON

Dixy Lee Ray  
Governor

DEPARTMENT OF ECOLOGY

7272 Clearwater Lane, Olympia, Washington 98504

206/753-2353

VW

5-27-80

Richardson Water Company  
PO Box 44408  
Tacoma, Wa 98444

Dear Sir:

Re: Groudd Water Application No. G 2-25490

Your application has been approved and a permit will be issued in accordance with the enclosed Report of Examination upon payment of the statutory fee of \$ 20.00. Please make your check payable to the Department of Ecology.

This letter and enclosed Report of Examination constitute our determination and order. Chapter 43.21B RCW provides that any person who feels aggrieved by such an order may submit an appeal to the Pollution Control Hearings Board of Washington, with a copy to the director of the Department of Ecology, within 30 days of receipt of the order. Procedures for requesting a hearing may be obtained from this department.

Please send your permit fee within 30 days.

Sincerely,

E. W. Asselstine  
Regional Manager  
SOUTHWEST REGIONAL OFFICE

Enclosure

S